


Flexi Pipe



Flexi Pipe

SINGLE WALL HDPE SN8 / CLASS 400

Construction: Corrugated Single Wall
 Uses: Light to Medium Drainage (Agriculture - Civil)
 Compositon: HDPE Recycled and Virgin
 Placement: Underground Trench
 Minimum Field of Curvature: 15x External Diameter



Available: - Slotted
 - Unslotted
 - Socked

| Nominal Outside Diameter | Length 10m | Length 20m | Length 50m | Length 60m | Length 100m | Length 200m |
|--------------------------|------------|------------|------------|------------|-------------|-------------|
| 50 | ✓ | ✓ | ✓ | | ✓ | ✓ |
| 65 | ✓ | ✓ | ✓ | | ✓ | ✓ |
| 100 | ✓ | ✓ | ✓ | | ✓ | |
| 160 | | ✓ | | ✓ | | |

FITTINGS

| Joiner | T Junction | Y Junction | End Cap | Cross | Reducer |
|--------|------------|------------|---------|-------|--------------|
| 50mm | 50mm | 50mm | 50mm | 50mm | |
| 65mm | 65mm | 65mm | 65mm | 65mm | |
| 100mm | 100mm | 100mm | 100mm | 100mm | 100mm - 50mm |
| 160mm | | | | | 100mm - 65mm |

Flexi Pipe

SINGLE WALL SN20 / CLASS 1000 - PVC AS2439

Construction: Corrugated Single Wall

Uses: Heavy Duty Road Drainage


Compositon: Virgin PVC

Usage Range: -5°C - +60°C

Placement: Underground Trench

Resistance to Crushing: 1000N with 5%

Minimum Field of Curvature: 15x External Diameter



Available: - Slotted

- Unslotted

- Socked

| Nominal Outside Diameter | Length 50m | Length 100m | Length 200m |
|-----------------------------|---------------|----------------|----------------|
| 65 | ✓ | ✓ | ✓ |
| 100 | ✓ | ✓ | C |

Key: ✓ = Standard Length | C = Custom Length - Please call to order 1300 739 830

FITTINGS

| Joiner | T Junction | End Cap |
|--------|------------|---------|
| 65mm | 65mm | |
| 100mm | 100mm | 100mm |

Flexi Pipe

SINGLE WALL 160mm PVC


Construction: Corrugated Single Wall

Uses: Drainage

Compositon: Virgin PVC

Usage Range: -5°C - +60°C

Placement: Underground Trench



Minimum Field of Curvature: 15x External Diameter

- Available:
- Slotted
 - Unslotted
 - Socked

| Nominal Outside Diameter | Length 25m | Length 100m | Length 200m |
|-----------------------------|---------------|----------------|----------------|
| 160 | ✓ | C | C |

Key: ✓ = Standard Length | C = Custom Length - Please call to order 1300 739 830