

PE-Electrical & Communications

0101010101010

010101

010101

0101010101


PE-Electrical & Communications

PE-80 PIPE RANGE - IDENTI-PIPE SYSTEM

Cromford produce PE for Electrical and Communications in PE-80. PE-100 is available upon request.



Electrical



Communications

PE-Electrical & Communications

PE-80 - PN 10 / SDR 13.6 - H.D. POLYETHYLENE

Nominal Outside Diameter	Minimum Wall Thickness	Mean Internal Diameter	Average Mass
20	1.6	16.4	0.098
25	1.9	20.8	0.144
32	2.4	26.6	0.233
40	3.0	33.4	0.360
50	3.7	41.9	0.556
63	4.7	52.7	0.886
75	5.5	63.0	1.235
90	6.6	75.7	1.775
110	8.1	92.3	2.662
125	9.2	105.0	3.432
140	10.3	117.7	4.297
160	11.8	134.6	5.609
180	13.3	151.3	7.120
200	14.7	168.3	8.730
225	16.6	189.3	11.088
250	18.4	210.4	13.659
280	20.6	235.7	17.114
315	23.2	265.1	21.690
355	26.1	298.8	27.495
400	29.4	336.8	34.870
450	33.1	378.9	44.171
500	36.8	421.1	54.500

PE-Electrical & Communications

PE-80 - STRAIGHT LENGTHS - H.D. POLYETHYLENE

Nominal Outside Diameter	Length (m)	PN 10 SDR 13.6
20	6	✓
	12	✓
25	6	✓
	12	✓
32	6	✓
	12	✓
40	6	✓
	12	✓
50	6	✓
	12	✓
63	6	✓
	12	✓
75	6	✓
	12	✓
90	6	✓
	12	✓
110	6	✓
	12	✓
125	6	✓
	12	✓
140	6	✓
	12	✓
160	6	✓
	12	✓
180	6	✓
	12	✓
200	6	✓
	12	✓
225	6	✓
	12	✓
250	6	✓
	12	✓
280	6	✓
	12	✓
315	6	✓
	12	✓
355	6	✓
	12	✓
400	6	✓
	12	✓
450	6	✓
	12	✓
500	6	✓
	12	✓

Special orders are available, customised lengths available on request.

Please contact our Pipe Sales Department on 1300 739 830

PE-Electrical & Communications

PE-80 - COILS - H.D. POLYETHYLENE

Nominal Outside Diameter	Length (m)	Coil Width (mm)	Coil Inside Diameter (mm)	Coil Outside Diameter (mm)	PN 10 SDR 13.6
20	25	84	600	754	✓
	50	84	600	868	✓
	100	189	600	830	✓
	150	189	600	906	C
	200	189	600	982	✓
25	25	105	800	945	✓
	50	105	800	1040	✓
	100	210	800	1040	✓
	150	210	800	1135	C
	200	210	800	1230	✓
32	25	134	875	1061	✓
	50	134	875	1182	✓
	100	235	875	1182	✓
	150	235	875	1304	✓
	200	235	875	1425	C
40	25	168	1150	1306	✓
	50	168	1150	1458	✓
	100	336	1150	1458	✓
	150	336	1150	1534	✓
	200	336	1150	1686	C
50	50	210	1400	1690	✓
	100	210	1400	1975	✓
	150	368	1400	1880	✓
	200	420	1400	1975	C
	300	420	1400	2165	C
63	50	265	1650	2015	✓
	100	265	1650	2255	✓
	150	397	1650	2255	C
	200	397	1650	2375	C
	320	529	2450	3055	C

Key: ✓ = Standard Sized Coil | C = Custom Sized Coil - Please call to order 1300 739 830

PE-Electrical & Communications

PE-80 - COILS - H.D. POLYETHYLENE

Nominal Outside Diameter	Length (m)	Coil Width (mm)	Coil Inside Diameter (mm)	Coil Outside Diameter (mm)	PN 10 SDR 13.6
75	50	236	1900	2335	✓
	100	473	1900	2335	✓
	140	473	1900	2478	✓
	200	551	1900	2620	C
	300	551	1900	2905	C
90	50	284	2000	2522	✓
	100	378	2000	2847	✓
110	50	347	2000	2638	✓
	100	462	2000	2847	✓
125	50	394	2100	2825	✓
	100	525	2100	3063	✓
140	60	441	2160	2972	✓
	75	551	2160	2972	✓
	100	551	2600	3678	✓

Key: ✓ = Standard Sized Coil | C = Custom Sized Coil - Please call to order 1300 739 830

Special orders are available, customised lengths available on request up to 200m.

Please contact our Pipe Sales Department on 1300 739 830

FITTINGS

We stock a complete range of Fittings, Jointing Equipment and Accessories

